

NORTH NORFOLK STRATEGIC FLOOD RISK ASSESSMENT

APPENDIX A: FLOOD RISK MAPPING INDEX GRID: GN_28





LEGEND

Note: All layers are turned off by default. Click the box next to the layer of interest to turn on.

- | | | | |
|------------------------------|---------------------------|--|----------------------------------|
| Authority Information | | Fluvial Climate Change | |
| <input type="checkbox"/> | Administrative Area | <input type="checkbox"/> | 1% AEP with 35% Climate Change |
| <input type="checkbox"/> | Study Area | <input type="checkbox"/> | 1% AEP with 65% Climate Change |
| <input type="checkbox"/> | Main Rivers | <input type="checkbox"/> | 0.1% AEP with 25% Climate Change |
| <input type="checkbox"/> | Detailed River Network | Tidal Climate Change | |
| <input type="checkbox"/> | The Broads | <input type="checkbox"/> | 0.5% AEP Climate Change |
| Flood Zones | | <input type="checkbox"/> | 0.1% AEP Climate Change |
| <input type="checkbox"/> | Flood Zones 3b | Surface Water Climate Change | |
| <input type="checkbox"/> | Indicative Flood Zones 3b | <input type="checkbox"/> | 1% AEP with 40% Climate Change |
| <input type="checkbox"/> | Flood Zones 3a | Areas Susceptible to Groundwater Flooding | |
| <input type="checkbox"/> | Flood Zones 2 | <input type="checkbox"/> | $\geq 75\%$ |
| Surface Water | | <input type="checkbox"/> | $\geq 50\% < 75\%$ |
| <input type="checkbox"/> | RoFFSW 3.3% AEP | <input type="checkbox"/> | $\geq 25\% < 50\%$ |
| <input type="checkbox"/> | RoFFSW 1% AEP | <input type="checkbox"/> | $< 25\%$ |
| <input type="checkbox"/> | RoFFSW 0.1% AEP | Other | |
| Reservoir Flooding | | <input type="checkbox"/> | BESL Model Centreline |
| <input type="checkbox"/> | Reservoir Flooding | <input type="checkbox"/> | Dry Islands > 0.5Ha |

Return to Index Map

Mapping Supporting Information



Contains Ordnance Survey data © Crown copyright and database right 2017 © Crown copyright and database rights 2017 Ordnance Survey 100019340. Use of this data is subject to terms and conditions.

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, not disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

